

Prepared for:

Happy Buddha Management

112 W Bridge St
Hotchkiss, CO USA 81419

HBH 2000 2oz Magic Mender.2

Batch ID or Lot Number:	Test: Potency	Reported: 06Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000254741	Started: 01Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Aug2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	14.717	32.253	147.180	3.00	# of Servings = 1, Sample Weight=49g
Cannabichromenic Acid (CBCA)	13.461	29.501	ND	ND	
Cannabidiol (CBD)	38.212	84.725	1872.790	38.20	
Cannabidiolic Acid (CBDA)	39.192	86.899	ND	ND	
Cannabidivarin (CBDV)	9.038	20.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	16.349	36.250	ND	ND	
Cannabigerol (CBG)	8.356	18.313	112.460	2.30	
Cannabigerolic Acid (CBGA)	34.930	76.553	ND	ND	
Cannabinol (CBN)	10.901	23.890	ND	ND	
Cannabinolic Acid (CBNA)	23.832	52.230	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	41.615	91.203	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	37.794	82.829	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	33.485	73.386	ND	ND	
Tetrahydrocannabivarin (THCV)	7.600	16.657	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	29.535	64.730	ND	ND	
Total Cannabinoids			2132.430	43.50	
Total Potential THC			0.000	0.00	
Total Potential CBD			1872.790	38.20	

Final Approval



Karen Winternheimer
06Sep2023
10:43:00 AM MDT

PREPARED BY / DATE



Sam Smith
06Sep2023
10:45:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/f182bd2f-1316-4ef6-8f82-5be8d777b915>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
f182bd2f13164ef68f825be8d777b915.1